

GLORY

Cash Exchange Machines (CEM)

4300 series

The 4300 series Cash Exchange Machine (CEM) is capable of accepting and authenticating banknotes, exchanging them for an equal value of rolled coin and low denomination banknotes.



Cash Exchange Machines (CEM) – In today’s world customer demands and expectations move fast.

The Cash Exchange Machine forms an integral part of an alternative delivery channel within the 24/7 self-service zone. Providing a flexible and convenient solution, it allows the exchange of high denomination banknotes into low denomination banknotes and rolled coin of the same currency.

The CEM solution features a convenient and highly accurate rolled coin dispenser. As standing in line at teller positions is eliminated, this concept can prove very beneficial when wanting to attract new customers into the branch.

This Cash Exchange solution is designed for business customers to complete their daily change orders quickly, easily and securely using the completely automated system.

- Conveniently allows your customers to accomplish most change orders without teller assistance, eliminating the need of queuing up at the branch. With enhanced security features, branches and customers alike can conduct transactions with minimal cash exposure.
- The onboard monitoring system continuously verifies live operational status and flags issues in real-time, which keeps downtime to a minimum and enables problems to be fixed quickly.
- A 15” LCD touchscreen completes a user-friendly interface, making transactions easy to conduct. Interface design and layout can be customized and branded with your logos and colors.
- Capable of dispensing high capacities of rolled coin and low denomination notes in a single transaction and, a receipt slip issued to the customer after every transaction.
- Maximum withdrawal limits can be set to avoid constant replenishment.
- Fast operation – most transactions take 90 seconds.

CEM operation example:

A customer requests 5 rolls of quarters, 30 \$1 notes and 4 \$5 notes; the total request is \$100. The fee (optional) to use the CEM is \$5. The customer feeds \$105 into the bill validation unit and the machine dispenses the coin rolls and notes.

Key benefits

- No debit card required
- No integration required
- Customized user interface software to meet your business needs
- Simple replenishment for bank staff or CIT
- Fast, efficient exchange process and simple user interface
- Can provide status and usage reports via email
- Customer and non-customer usage

The CEM-4300 series offers increased brand awareness with individual customization, adaptable to any location.



These are examples from the screen-based animations which encourage high customer usage and provide easy guidance through the entire transaction process:




Banknote insertion



Coin rolls picked



Rolled coin delivery



Receipt slip issuing

A reliable, simple and secure delivery channel

In order to deliver added-value to our customers, direct control is maintained over the following critical “In-House” processes:

- Product Design
- Systems Integration
- Project and Materials Management
- Quality Assurance and Control

Glory’s manufacturing partner guarantees that all automated Self-Service equipment supplied to our customers is manufactured from quality assured materials and components and built to quality assured standards.

With the emergence of new technologies and marketing concepts, Retail Banks have been able to migrate customers away from labor intensive teller positions to locations where the same services can be offered in an automated manner.

Automated cash exchange offers your busy customers:

- Improved levels of convenience and security
- Improved speed of cash exchange and ease of use
- Reduced queuing time, increased customer satisfaction
- Unique receipt slip issued after each transaction

Automated cash exchange offers you:

- Revenue generating opportunities, created by re-deploying staff to more profitable activities
- Speed of transaction minimizes customer exposure to risk of attack
- Enhanced management information
- Valuable service to attract new customers



A solution that can be adapted to small and large branches.

The CEM-4300 series is capable of operating on an offline or online basis. Offline machines may be enhanced with monitoring systems and/or an email notification system, whilst online machines may run in an XFS-based environment.

The CEM-4300 series features low and high capacity configurations along with banknote deposit and dispense options.

Format	Internal TTW (through the wall) rear access design
Coin silos	6 or 8 rolled coin silos
Capacity per coin drawer (paper rolled coin only)	Quarters = 77 rolls per drawer Dimes = 156 rolls per drawer Nickels = 111 rolls per drawer Pennies = 123 rolls per drawer
Note validation acceptor	4 way acceptance 1,200 note stacking cassette
Banknote dispense	Glory cash dispenser technology 2 to 4 cassettes 2,500 banknotes capacity per cassette
Display	15" color LCD with touch screen
Receipt printer	80mm thermal printer with presenter and retract function Large (7.874" / 200mm) paper roll Custom logo and messaging possible
Operating system	Windows 10

Power backup	UPS
Cabinet	Rear Access – 5mm steel, option of UL-291 safe
Dimensions (W x D x H)	With 6 coin drawers: 26.378" x 42.520" x 72.283" With 8 coin drawers: 32.047" x 42.520" x 72.283"
Weight (empty)	822lbs (with 6 coin drawers) 1190lbs (with 8 coin drawers)
Other options	Headphone jack Door switch (upper cabinet & safe)
Rolled coin dispenser technology	Drawer based with individual pick mechanism per drawer. Local LED display for coin drawer status.
Note dispenser shutter	Yes – standard fit
Remote connectivity	BalWinMon – Status and holding reports sent via email. (requires SMTP server connection)
Power	Switched Fused Spur AC 100-240V ~ 50/60Hz. 6/3A max.

*Some product(s) represented in this document are developed and/or manufactured by business partners and are integrated in Glory's offerings to provide complete, best in class solutions for our clients. Specifications are subject to change without notice. Please read the instruction manual carefully to ensure correct equipment usage. All figures, capacities and speeds quoted in this brochure are as tested by Glory Global Solutions (International) Limited. They may vary depending on usage conditions and are not guaranteed.

Related solutions...

WR-90/500

Design to withstand the rigors of high volume, continuous use coin wrapping applications.



QUICKCHANGE™

A fully-automated, self-service coin deposit solution, allowing customers to quickly and easily deposit coin.



TELLERINFINITY™

An integrated teller-assisted service solution; a device that can perform many transactions that only a teller could deliver in the past.



Glory, 3333 Warrenville Road, Suite 310, Lisle, IL 60532 USA

+1 (800) 527-2638 ✉ info@us.glory-global.com 🌐 glory-global.com

DS-CEM4300-0919/US_3.0

Glory Global Solutions is part of GLORY LTD. This document is for general guidance only. As the referenced products and services are continually being developed it is important for customers to check that they have the latest particulars. Although every precaution has been taken in preparation of this document, Glory and any other company identified or referred to in this document accept no responsibility or liability for loss or damages resulting from the use of, or reliance on, the information contained in this document. This document is not part of a contract or licence save insofar as may be expressly agreed. All capabilities, capacity and throughput figures are subject to note/coin size, note/coin quality and process used. GLORY is a registered trademark of GLORY LTD. in Japan, the United States of America and the EU. This document contains other registered and unregistered trademarks, logos and service marks owned by Glory and other third parties. No rights of use or ownership are granted by GLORY or any third party owner under this document. All materials contained in this document are subject to copyright protection. in Japan, the United States of America, and EU. All trademarks are owned by the GLORY Limited Group of companies. © Glory Global Solutions (International) Limited 2019.